



-TR-0119

AD

Reports Control Symbol
OSD - 1366

AD A119983

VISIBLE AND INFRARED TRANSMISSION THROUGH SNOW


AUGUST 1982

By

MARY ANN SEAGRAVES

US Army Atmospheric Sciences Laboratory
White Sands Missile Range, NM, 88002

JOHN F. EBERSOLE
OptiMetrics, Inc.
One De Angelo Drive
Bedford, MA, 01730



DTIC FILE COPY

Approved for public release, distribution unlimited.



US Army Electronics Research and Development Command

Atmospheric Sciences Laboratory

White Sands Missile Range, NM 88002

82 10 07 025

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.


The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ASL-TR-0119	2. GOVT ACCESSION NO. AD-A119983	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) VISIBLE AND INFRARED TRANSMISSION THROUGH SNOW		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Mary Ann Seagraves and John F. Ebersole		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Atmospheric Sciences Laboratory White Sands Missile Range, NM, 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task 1L161102B53A/C
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Command Adelphi, MD 20783		12. REPORT DATE August 1982
		13. NUMBER OF PAGES 34
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Snow Aerosols Attenuation Extinction		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Visible and infrared extinction in falling snow is a function of snow particle concentration and snow crystal size and shape. Relationships between existing meteorological conditions and these characteristics have been investigated using measurements made during the SNOW-OME Field Experiment. Effects of meteorological conditions upon extinction are discussed and empirical models are suggested. Causes of the variation of extinction with wavelength in the visible and infrared are identified and the magnitudes of some of the possible effects are estimated.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



ACKNOWLEDGMENT

Much of this work was performed when John F. Ebersole was at Aerodyne Research, Inc. The authors would like to acknowledge Mr. J. E. Butterfield of the US Army Atmospheric Sciences Laboratory for the data shown in figure 2 and Mr. J. Curcio of the Naval Research Laboratory for data in figures 5 and 6.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	



CONTENTS

LIST OF FIGURES.....	6
LIST OF TABLES.....	6
INTRODUCTION.....	7
SIMPLE OPTICAL MODEL FOR SNOW.....	7
SNOW-ONE DATA.....	10
EMPIRICAL MODEL FROM SNOW-ONE DATA.....	11
EXTINCTION WAVELENGTH DEPENDENCE... ..	15
CONCLUSIONS.....	22
REFERENCES.....	23

LIST OF FIGURES

1. Empirical correlations for extinction coefficient vs snowfall precipitation rate.....	8
2. Transmittances measured during SNOW-ONE, 22 Jan 81.....	12
3. Comparison between visible extinction coefficients from SNOW-ONE measurements and those predicted by equation (6).....	13
4. Comparison between visible transmittances measured during SNOW-ONE and those predicted by equation (6).....	14
5. Comparison of extinction coefficients at $10.4\mu\text{m}$ and $0.55\mu\text{m}$ during SNOW-ONE.....	17
6. Comparison of extinction coefficients at $3.0\mu\text{m}$ and $0.55\mu\text{m}$ during SNOW-ONE.....	18
7. Comparison between $10.4\mu\text{m}$ transmittances measured during SNOW-ONE and those predicted by equation (8).....	20
8. Comparison between $3.0\mu\text{m}$ transmittances during SNOW-ONE and those predicted by equation (7).....	21

LIST OF TABLES

1. CORRELATIONS OF FALLING SNOW EXTINCTION COEFFICIENT (km^{-1}) VS ACCUMULATION RATE (mm h^{-1}).....	9
2. INVESTIGATIONS OF TRANSMISSION THROUGH SNOW AT $8\mu\text{m}$ TO $12\mu\text{m}$ AND VISIBLE REGION.....	16

INTRODUCTION

The transmission of visible and infrared electromagnetic radiation through the atmosphere is of concern to developers and users of electro-optical devices, particularly during conditions of low visibility. Falling snow creates such conditions over large parts of the earth's surface and during a fairly large percentage of the time during winter months in some areas. For example, falling snow occurs about 12 percent of the time during the observation period in the Uplands of West Germany in February.

A recent review by Mason¹ conveys the nature and complexity of the problem of relating transmission through falling snow to meteorological conditions. Figure 1 and table 1 summarize the results of several investigators relating visible extinction coefficient, β_{VIS} , to precipitation rate, R (equivalent liquid water). It can be seen for example, that the extinction coefficient may vary by a factor of five for a fixed precipitation rate. The variation in these results for snow is due to variations in the snow crystal types and characteristic sizes. The curve labeled R is for rainfall and shows that the extinction coefficient for snow may be more than an order of magnitude greater than that for rain for equivalent precipitation rate.

SIMPLE OPTICAL MODEL FOR SNOW

In general, the extinction coefficient β_λ at wavelength λ for an ensemble of N aerosol particles of cross-sectional area A is given by

$$\beta_\lambda = \int_A N(A) Q_{ext}(n, A, \lambda) A dA \quad (1)$$

where Q_{ext} = extinction efficiency, n = complex index of refraction.

According to the conservation of mass, the mass of the snow crystals per unit area accumulating on the ground per unit time equals the mass of the equivalent liquid water per unit area per unit time, or

$$\rho_{water} R = \rho_{ice} \int_V N(V) v(V) V dV \quad (2)$$

where ρ = density

V = particle volume

v = particle settling velocity.

¹Mason, J. B., "Light Attenuation in Falling Snow," ASL-TR-0018, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM, 1978.




Figure 1. Empirical correlations for extinction coefficient vs snowfall precipitation rate (from Mason¹). The letters indicate the various investigators as given in table 1.

TABLE 1. CORRELATIONS OF FALLING SNOW EXTINCTION COEFFICIENT (km^{-1}) VS ACCUMULATION RATE (mm h^{-1}) (MASON¹)

Investigator	Correlation
Lillesaeter ²	$\beta_{\text{VIS}} = 3.93R$
Zel'manovich ³	$\beta_{\text{VIS}} = 1.3R^{0.5}$
Polyakow & Treljakov ⁴	$\beta_{\text{VIS}} = 3.2R^{0.91}$
Mellor ⁵	$\beta_{\text{VIS}} = 1.11R^{0.42}$
Warner & Gunn ⁶	$\beta_{\text{VIS}} = 2.53R$
O'Brien ⁷	$\beta_{\text{VIS}} = 1.393R^{0.69}$

Then, combining (1) and (2)

$$\beta_{\lambda} = \frac{\rho_{\text{water}}}{\rho_{\text{ice}}} \frac{\int N(A) Q_{\text{ext}}(n, A, \lambda) A dA}{\int N(V) v(V) V dV} \quad (3)$$

This may be simplified by assuming that the particles are homogeneous and monodispersed, and that the geometrical optics approximation is valid ($Q_{\text{ext}} = 2$), which is the case when the particles are sufficiently large compared to λ .

¹Mason, J. B., "Light Attenuation in Falling Snow," ASL-TR-0018, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM, 1978.

²Lillesaeter, O., "Parallel-Beam Attenuation of Light, Particularly by Falling Snow," J Appl Meteorol, 4:607, 1965.

³Zel'manovich, I. L., "Microstructure and Transmittance of Snowfall," Trudy Glavnoy Geophysics Obs, Leningrad, 100:58, 1960.

⁴Polyakova, E. A., and V. D. Tretjakov, "Visibility in Falling Snow," Trudy Glavnoy Geophysics Obs, Leningrad, 100:53, 1960.

⁵Mellor, M., "Light Scattering and Particle Aggregation in Snow Storms," RR193, US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, 1966.

⁶Warner, C., and K. L. S. Gunn, "Measurement of Snowfall by Optical Attenuation," J Appl Meteorol, 8:110, 1969.

⁷O'Brien, H. W., "Visibility and Light Attenuation in Falling Snow," J Appl Meteorol, 9:671, 1970.

Then

$$B_{VIS} = B_{IR} = 2.2 \frac{R}{V} \frac{A}{V}. \quad (4)$$

Note that particle volume concentration $\kappa = \frac{R}{V}$. Then by assuming various crystal shapes with characteristic sizes and settling velocities, one may derive interrelationships of the form

$$B_{VIS} = CR \quad (5)$$

where C is a constant. For small needle-shaped crystals the relationship is similar to that of Lillesaeter.² Larger plate-like crystals will yield a smaller extinction coefficient with a relationship closer to that of Mellor³ or Zel'manovich.⁴

Since $\frac{A}{V}$ is inversely proportional to some characteristic crystal dimension d , that is $\frac{A}{V} = \frac{1}{d}$, one can easily see that for fixed precipitation rate, extinction decreases as crystal size increases. Since crystal size tends to increase with increasing temperature or relative humidity because of increased agglomeration, extinction should decrease in these conditions. However, it should be noted that these results are based on snow occurring alone and that if fog occurs simultaneously, as is often the case, then additional complications arise.

SNOW-ONE DATA

The Scenario Normalization for Operation in Winter - Obscuration and the Natural Environment (SNOW-ONE) Field Experiment was the first of a series of winter exercises conducted by the US Army Corps of Engineers for the purpose of collecting data used to investigate the effects of snow on the propagation of electromagnetic energy. Visible, infrared, and near-millimeter wave transmission measurements were made over a path length of 0.65 km through

²Lillesaeter, O., "Parallel-Beam Attenuation of Light, Particularly by Falling Snow," J Appl Meteorol, 4:607, 1965.

³Mellor, M., "Light Scattering and Particle Aggregation in Snow Storms," RR193, US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, 1966.

⁴Zel'manovich, I. L., "Microstructure and Transmittance of Snowfall," Trudy Glavnoy Geophysics Obs, Leningrad, 100:58, 1960.

falling snow concurrently with measurements of meteorological conditions, snow particle size distributions, shape characteristics and concentration. These measurements were made at Camp Ethan Allen near Burlington, Vermont, during the period 5 Jan 81 through 20 Feb 81. Data were collected during periods of falling snow on nine days during this time frame and have been documented by Redfield.* Figure 2 shows transmittances at three wavelengths as measured with Barnes transmissometers on 22 Jan 81. Light snow, light snow with fog, and snow flurries occurred on that day with observed visibilities of 1 to 8 km.

EMPIRICAL MODEL FROM SNOW-ONE DATA

A set of 181 data points from five of the days during which snow occurred was used to derive a regression equation relating extinction to meteorological parameters. These data show that the visible extinction coefficient, $\beta_{0.55}$, increases as volume concentration increases and decreases with both increasing surface temperature and relative humidity. The resulting regression equation is

$$\frac{\beta_{0.55}}{\kappa} = 0.0233 - 0.0031\kappa - 0.0101T + 0.0019H \quad (6)$$

where κ = volume concentration in units of $10^{-6} \text{ m}^3/\text{m}^3$

T = surface temperature ($^{\circ}\text{C}$)

and H = surface relative humidity (%)

Figure 3 shows comparisons between predicted visible extinction coefficients and those derived from the actual transmittances. Comparisons between the actual measured transmittances and those predicted by equation (6) are given in figure 4. These figures show only those data points used in the derivation of equation (6).

*Redfield, R. K., "SNOW-ONE Preliminary Data Report," US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, 1981.

+ VISIBLE
 x 3-5 MICROMETERS
 Δ 8-12 MICROMETERS




Figure 2. Transmittances measured during SNOW-ONE, 22 Jan 81.




Figure 3. Comparison between visible extinction coefficients from SNOW-ONE measurements and those predicted by equation (6).




Figure 4. Comparison between visible transmittances measured during SNOW-ONE and those predicted by equation (6).

EXTINCTION WAVELENGTH DEPENDENCE

A number of investigators^{10 11 12 13 14} have measured visible and infrared transmittance through snow of various types. Results of their findings in the 8 μ m to 12 μ m and visible regions are summarized in table 2. They found that, in the absence of coexisting fog, measured transmittance is higher in the visible region of the spectrum than the infrared. However, when fog occurred along with the snow, the wavelength dependence of the meter measured transmittance could be reversed with visible transmittance less than infrared. Analysis of data collected at SNOW-ONE resulted in conclusions similar to those of other investigators. This analysis is demonstrated in figure 5, showing the ratio of the extinction coefficient at 10.4 μ m to that at 0.55 μ m for a period of time during a snowstorm at SNOW-ONE. Relative humidity during the same time is also shown. Figure 6 shows a comparable plot for 3.0 μ m. Preliminary indications are that the discrepancies between the GAP model¹¹ and actual data at 3.0 μ m are due to gaseous and aerosol (snowflake) absorption.

Regression analyses were performed on SNOW-ONE data taken during a variety of conditions of snow type, intensity, and meteorological conditions. It was found that when relative humidity is low (less than or equal to 94 percent), the infrared extinction coefficient may be expressed as a function of visible extinction coefficient (or equivalent visibility) only. For larger values of relative humidity (when fog is more likely to occur), the infrared extinction coefficient is a function not only of the visible extinction coefficient, but also temperature and relative humidity. These regression analyses resulted in the following model.

¹⁰Bisyarin, V. P., et al, "Attenuation of 10.6 μ m and 0.63 μ m Laser Radiation in Atmospheric Precipitation," Radio Engineering and Electronic Physics, 16:1585, 1971.

¹¹Gimmetstad, E. G., and S. M. Lee, "Infrared Obscuration by Falling and Blowing Snow," Proceedings of National IRIS, 1980.

¹²Sola, M. J., and R. J. Bergeman, "Multi-Spectral Propagation Measurements through Snow," Topical Meeting on Optical Propagation Through Turbulence, Rain and Snow, Boulder, CO, 1971.

¹³Abele, J., H. Raidt, and D. H. Hohn, "Studies on the Influence of Meteorological Parameters on Atmospheric Laser Transmission," Report FFO 1979/20, Forschungsinstitut für Optik, Tübingen, FRG, 1979.

¹⁴Chu, T. S., and D. C. Hogg, "Effects of Precipitation on Propagation at 0.63, 3.5, and 10.6 Microns," Bell System Technical Journal, p 723-759, 1968.

¹⁵Eklund, H., et al, "Atmospheric Transmission Measurements at 10.6 μ m," Infrared Physics, 18:337-342, 1978.

TABLE 2. INVESTIGATIONS OF TRANSMISSION THROUGH SNOW AT
8 μ m TO 12 μ m AND VISIBLE REGION

Investigator/Location	Instrument Type/ Date	Results
Bisyarin, et al ⁹ RUSSIA	Lasers Jan to Mar 1970	$\tau_{10.6} = 1.38$ $\tau_{0.63}$
Gimmestad & Lee ¹⁰ Houghton, MI	Transmissometers 17 Mar 1980	$\tau_{8-12} = 1.25$ $\tau_{VIS} 0.901$
Sola ¹¹ Fort A ⁰ Hill, VA Grafenwohr, FRG	Transmissometers 1975 - 1977	$\tau_{8-12} = 1.30$ $\tau_{VIS} 0.993$
Abele, et al ¹² Tubingen, FRG	Lasers 12 Dec 1978	Higher transmission at 0.63 μ m than 10.6 μ m.
Chu & Hogg ¹³ Holmdel, NJ	Lasers 1966	10.6 μ m attenuated more than 0.63 μ m, no definite wavelength dependence observed
Eklund, et al ¹⁴ Goteborg, Sweden	Lasers Mar, Apr 1977	Higher transmission at 0.63 μ m than 10.6 μ m except when snow mixed with fog

⁹Bisyarin, V. P., et al, "Attenuation of 10.6 μ m and 0.63 μ m Laser Radiation in Atmospheric Precipitation," Radio Engineering and Electronic Physics, 16:1585, 1971.

¹⁰Gimmestad, E. G., and S. M. Lee, "Infrared Obscuration by Falling and Blowing Snow," Proceedings of National IRIS, 1980.

¹¹Sola, M. C., and R. J. Bergeman, "Multi-Spectral Propagation Measurements through Snow," Topical Meeting on Optical Propagation Through Turbulence, Rain and Snow, Boulder, CO, 1977.

¹²Abele, J., H. Raidt, and D. H. Hohn, "Studies on the Influence of Meteorological Parameters on Atmospheric Laser Transmission," Report FF0 1979/20 Forschungsinstitut fur Optik, Tubingen, FRG, 1979.

¹³Chu, T. W., and D. C. Hogg, "Effects of Precipitation on Propagation at 0.63, 3.5, and 10.6 Microns," Bell System Technical Journal, p 723-759, 1968.

¹⁴Eklund, H., et al, "Atmospheric Transmission Measurements at 10.6 μ m," Infrared Physics, 18:337-342, 1978.




Figure 5. Comparison of extinction coefficients at 10.4 μ m and 0.55 μ m during SNOW-ONE. The GAP model of Sola and Bergman¹¹ for 8 to 12 μ m is shown as are corresponding values of relative humidity.




Figure 6. Comparison of extinction coefficients at 3.0 μ m and 0.55 μ m during SNOW-ONE. The GAP model of Sola and Bergeman¹¹ for 3 μ m to 5 μ m is shown as are corresponding values of relative humidity.

For transmittance at $3.0\mu\text{m}$

$$\beta_{3.0} = 1.21 \beta_{0.55} \quad \text{for } RH \leq 94\% \quad (7a)$$

$$\beta_{3.0} = \beta_{0.55} (-0.107 T - 0.101 H - 0.042 V + 10.74) \quad \text{for } RH > 94\% \quad (7b)$$

and for transmittance at $10.4\mu\text{m}$

$$\beta_{10.4} = 1.18 \beta_{0.55} \quad \text{for } RH \leq 94\% \quad (8a)$$

$$\beta_{10.4} = \beta_{0.55} (-0.182 T - 0.223 H - 0.426 V + 25.35) \quad \text{for } RH > 94\% \quad (8b)$$

where

$$V = \text{visibility (km)} = 3.0/\beta_{VIS}$$

This model was derived from data with the following ranges and should be used with caution elsewhere.

$$1.2 \text{ km} \leq V \leq 7.5 \text{ km}$$

$$-11.9^\circ\text{C} \leq T \leq 2.0^\circ\text{C}$$

$$68\% \leq H \leq 100\%$$

Transmittances predicted by equations (7) and (8) are compared with the corresponding measurements in figures 7 and 8. The model appears to give the largest errors when the relative humidity is between 90 and 95 percent, where the existence of fog is most in doubt, and should be used with caution in this region.

Snowflakes are very large, on the order of 1 mm diameter, compared to visible and infrared wavelengths. Thus, as was indicated in equation (4), the geometrical optics approximation is applicable and, theoretically, extinction should be wavelength independent. As has been seen, however, there are systematic differences in measured transmittances in this wavelength region.

A number of explanations for the reduced infrared extinction compared to visible extinction have been proposed. It appears that several processes combine to give rise to this effect.

(1) When the relative humidity is high, infrared energy is absorbed by the water vapor. However, this effect is small at the cold temperatures at which snow occurs.

(2) Because phase functions for the shorter wavelengths are more sharply peaked in the forward direction, more scattered radiation enters the detector. This effect is difficult to investigate since phase functions for snow crystals are difficult to determine.

(3) While the large-particle (geometrical optics limit) single particle extinction efficiency is the same for visible and infrared wavelengths,




Figure 7. Comparison between 10.4 μm transmittances measured during SNOW-ONE and those predicted by equation (8).




Figure 8. Comparison between 3.0μm transmittances measured during SNOW-ONE and those predicted by equation (7).

essentially all of the visible extinction is due to scattering, while about half of the infrared extinction is due to absorption. This results in more scattered visible energy available to enter the detector.

(4) The visible and infrared differential extinction cross sections due to the presence of fog or low-lying cloud particles may contribute to this effect.

(5) Multiple scattering of visible radiation vs infrared radiation may contribute to apparent differences in measured transmission (assuming the detector collector optics are the same diameter for both wavelengths).

CONCLUSIONS

We have reviewed falling snow obscuration at visible and infrared wavelengths, incorporating both physical and optical aspects of the problem. Using these results, an analysis of falling snow obscuration data obtained during the SNOW-ONE field test has resulted in an empirical model relating visible extinction to snow mass concentration, ambient air temperature, and relative humidity. We then presented a model that relates infrared extinction to visible extinction as a function of visibility, temperature, and relative humidity, with separate equations for high humidity and low humidity. Differences existing between visible and infrared extinction data for falling snow when, from a theoretical viewpoint, no such difference would be expected appear to be due to a combination of processes including water vapor absorption, snow crystal absorption, and multiple scattering effects.

REFERENCES

1. Mason, J. B., "Light Attenuation in Falling Snow," ASL-TR-0018, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM, 1978.
2. Lillesaeter, O., "Parallel-Beam Attenuation of Light, Particularly by Falling Snow," J Appl Meteorol, 4:607, 1965.
3. Zel'manovich, I. L., "Microstructure and Transmittance of Snowfall," Trudy Glavnay Geophysics Obs, Leningrad, 100:58, 1960.
4. Polyakova, E. A., and V. D. Tretjakov, "Visibility in Falling Snow," Trudy Glavnay Geophysics Obs, Leningrad, 100:53, 1960.
5. Mellor, M., "Light Scattering and Particle Aggregation in Snow Storms," RR193, US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, 1966.
6. Warner, C., and K. L. S. Gunn, "Measurement of Snowfall by Optical Attenuation," J Appl Meteorol, 8:110, 1969.
7. O'Brien, H. W., "Visibility and Light Attenuation in Falling Snow," J Appl Meteorol, 9:671, 1970.
8. Redfield, R. K., "SNOW-ONE Preliminary Data Report," US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, 1981.
9. Bisyarin, V. P., et al, "Attenuation of 10.6 μ m and 0.63 μ m Laser Radiation in Atmospheric Precipitation," Radio Engineering and Electronic Physics, 16:1585, 1971.
10. Gimmetad, E. G., and S. M. Lee, "Infrared Obscuration by Falling and Blowing Snow," Proceedings of National IRIS, 1980.
11. Sola, M. C., and R. J. Bergeman, "Multi-Spectral Propagation Measurements through Snow," Topical Meeting on Optical Propagation Through Turbulence, Rain and Snow, Boulder, CO, 1977.
12. Abele, J., H. Raidt, and D. H. Hohn, "Studies on the Influence of Meteorological Parameters on Atmospheric Laser Transmission," Report FFO 1979/20, Forschungsinstitut fur Optik, Tubingen, FRG, 1979.
13. Chu, T. S., and D. C. Hogg, "Effects of Precipitation on Propagation at 0.63, 3.5, and 10.6 Microns," Bell System Technical Journal, 723-759, 1968.
14. Eklund, H., et al, "Atmospheric Transmission Measurements at 10.6 μ m," Infrared Physics, 18:337-342, 1978.

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
ATTN: ES-83 (Otha H. Vaughan, Jr.)
Huntsville, AL 35812

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ES-81 (Dr. William W. Vaughan)
Huntsville, AL 35812

Nichols Research Corporation
ATTN: Dr. Lary W. Pinkley
4040 South Memorial Parkway
Huntsville, AL 35802

John M. Hobbie
c/o Kentron International
2003 Byrd Spring Road
Huntsville, AL 35802

Mr. Ray Baker
Lockheed-Missile & Space Company
4800 Bradford Blvd
Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-CS (Mr. Richard G. Cundy)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-MD (Mr. Harry Wilder)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CS-C (2LT Coffman)
Fort Huachuca, AZ 85613

Commander
US Army Yuma Proving Ground
ATTN: STEYP-MSA-TL
Bldg 2105
Yuma, AZ 85364

Northrop Corporation
Electro-Mechanical Division
ATTN: Dr. Richard D. Tooley
500 East Orangethorpe Avenue
Anaheim, CA 92801

Commander
Naval Weapons Center
ATTN: Code 3918 (Dr. Alexis Shlanta)
China Lake, CA 93555

Hughes Helicopters
Army Advanced Attack Helicopter Weapons
ATTN: Mr. Charles R. Hill
Centinela and Teale Streets
Bldg 305, MS T-73A
Culter City, CA 90230

Commander
US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, CA 93941

SRI International
ATTN: K2060/Dr. Edward E. Uthe
333 Ravenswood Avenue
Menlo Park, CA 94025

SRI International
ATTN: Mr. J. E. Van der Laan
333 Ravenswood Avenue
Menlo Park, CA 94025

Joane May
Naval Environmental Prediction
Research Facility (NEPRF)
ATTN: Library
Monterey, CA 93940

Sylvania Systems Group,
Western Division
GTE Products Corporation
ATTN: Technical Reports Library
P.O. Box 205
Mountain View, CA 94042

Sylvania Systems Group
Western Division
GTE Products Corporation
ATTN: Mr. Lee W. Carrier
P.O. Box 188
Mountain View, CA 94042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250-3 (R. de Violini)
Point Mugu, CA 93042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3253 (Terry E. Battalino)
Point Mugu, CA 93042

Effects Technology Inc.
ATTN: Mr. John D. Carlyle
5383 Hollister Avenue
Santa Barbara, CA 93111

Commander
Naval Ocean Systems Center
ATTN: Code 532 (Dr. Juergen Richter)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 5322 (Mr. Herbert G. Hughes)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 4473 (Tech Library)
San Diego, CA 92152

The RAND Corporation
ATTN: Ralph Huschke
1700 Main Street
Santa Monica, CA 90406

Particle Measuring Systems, Inc.
ATTN: Dr. Robert G. Knollenberg
1855 South 57th Court
Boulder, CO 80301

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: Library, R-51, Technical Reports
325 Broadway
Boulder, CO 80303

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: R45X3 (Dr. Vernon E. Derr)
Boulder, CO 80303

US Department of Commerce
National Telecommunications and
Information Administration
Institute for Telecommunication Sciences
ATTN: Code 1-3426 (Dr. Hans J. Liebe)
Boulder, CO 80303

AFATL/DLODL
Technical Library
Eglin AFB, FL 32542

Commanding Officer
Naval Training Equipment Center
ATTN: Technical Information Center
Orlando, FL 32813

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. Robert W. McMillan
Atlanta, GA 30332

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. James C. Wiltse
Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-O
Fort Gordon, GA 30905

USAFETAC/DNE
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DNDP (LTC Kit G. Cottrell)
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DOOF (MAJ Robert Wright)
Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Robert DeKinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-WE (LTC Darrell Holland)
Fort Leavenworth, KS 66027

President
USAARENBD
ATTN: ATZK-AE-TA (Dr. Charles R. Leake)
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-MS
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-SD
Fort Knox, KY 40121

Aerodyne Research Inc.
ATTN: Dr. John F. Ebersole
Crosby Drive
Bedford, MA 01730

Commander
Air Force Geophysics Laboratory
ATTN: OPA (Dr. Robert W. Fenn)
Hanscom AFB, MA 01731

Commander
Air Force Geophysics Laboratory
ATTN: OPI (Dr. Robert A. McClatchey)
Hanscom AFB, MA 01731

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. T. J. Goblick, B-370
P.O. Box 73
Lexington, MA 02173

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. Michael Gruber
P.O. Box 73
Lexington, MA 02173

Raytheon Company
Equipment Division
ATTN: Dr. Charles M. Sonnenschein
430 Boston Post Road
Wayland, MA 01778

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-BLB (Mr. Richard McGee)
Aberdeen Proving Ground, MD 21005

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Mr. Joseph Vervier)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLY-A (Mr. Ronald Pennsyle)
Aberdeen Proving Ground, MD 21010

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-TSB-S (STINFO)
Aberdeen Proving Ground, MD 21005

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CCM (W. H. Pepper)
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CT
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-PAO (M. Singleton)
2800 Powder Mill Road
Adelphi, MD 20783

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK
(Dr. Anthony Van de Wal, Jr.)
Aberdeen Proving Ground, MD 21005

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK-T (Mr. Sidney Gerard)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Mr. Warren M. Baity)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Dr. Norman E. Pentz)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-AAM (Mr. William Smith)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-CS (Mr. Philip H. Beavers)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GB (Wilbur L. Warfield)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (Mr. Fred Campbell)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (H. Stamper)
Aberdeen Proving Grounds, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GS
(Mr. Michael Starks/Mr. Julian Chernick)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-J (Mr. James F. O'Bryon)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-LM (Mr. Robert M. Marchetti)
Aberdeen Proving Ground, MD 21005

Commander
Harry Diamond Laboratories
ATTN: Dr. William W. Carter
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM (Mr. Robert McCoskey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Joseph Nemanich)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Air Force Systems Command
ATTN: WER (Mr. Richard F. Picanso)
Andrews AFB, MD 20334

Martin Marietta Laboratories
ATTN: Jar Mo Chen
1450 South Rolling Road
Baltimore, MD 21227

Commander
US Army Concepts Analysis Agency
ATTN: CSCA-SMC (Mr. Hal E. Heck)
8120 Woodmont Avenue
Bethesda, MD 20014

Director
National Security Agency
ATTN: R52/Dr. Douglas Woods
Fort George G. Meade, MD 20755

Chief
Intelligence Materiel Development
& Support Office
US Army Electronic Warfare Laboratory
ATTN: DELEW-I (LTC Kenneth E. Thomas)
Fort George G. Meade, MD 20755

The Johns Hopkins University
Applied Physics Laboratory
ATTN: Dr. Michael J. Lun
John Hopkins Road
Laurell, MD 20810

Dr. Stephen T. Hanley
1720 Rhodesia Avenue
Oxon Hill, MD 20022

Science Applications Inc.
ATTN: Mr. G. D. Currie
15 Research Drive
Ann Arbor, MI 48103

Science Applications Inc.
ATTN: Dr. Robert E. Turner
15 Research Drive
Ann Arbor, MI 48103

Commander
US Army Tank-Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Harry Young)
Warren, MI 48090

Commander
US Army Tank Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)
Warren, MI 48090

Dr. A. D. Belmont
Research Division
Control Data Corporation
P.O. Box 1240
Minneapolis, MN 55440

Director
US Army Engr Waterways Experiment Station
ATTN: WESEN (Mr. James Mason)
P.O. Box 631
Vicksburg, MS 39180

Dr. Jerry Davis
Department of Marine, Earth
and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27650

Commander
US Army Research Office
ATTN: DRXRO-GS (Dr. Leo Alpert)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Research Office
ATTN: DRXRO-PP (Brenda Mann)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RD (Dr. K. F. Sterrett)
Hanover, NH 03755

Commander/Director
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. George Aitken)
Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager
for Navy/USMC SAL GP
ATTN: DRCPM-CAWS-NV (CPT Joseph Miceli)
Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-PE (Mr. Ben A. Di Campli)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-R-S (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager
FIREFINDER/REMBASS
ATTN: DRCPM-FFR-TM (Mr. John M. Biaio)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

OLA, 2WS (MAC)
Holloman AFB, NM 88330
Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE (MAJ John R. Elrick)
Kirtland AFB, NM 87117

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL (Dolores Anguiano)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TGP (Mr. Roger F. Willis)
White Sands Missile Range, NM 88002

Director
Office of Missile Electronic Warfare
ATTN: DELEW-M-STO (Dr. Steven Kovel)
White Sands Missile Range, NM 88002

Office of the Test Director
Joint Services EO GW CM Test Program
ATTN: DRXDE-TD (Mr. Weldon Findley)
White Sands Missile Range, NM 88002

Commander
US Army White Sands Missile Range
ATTN: STEWS-PT-AL (Laurel B. Saunders)
White Sands Missile Range, NM 88002

Commander
US Army R&D Coordinator
US Embassy - Bonn
Box 165
APO New York 09080

Grumman Aerospace Corporation
Research Department - MS A08-35
ATTN: John E. A. Selby
Bethpage, NY 11714

Rome Air Development Center
ATTN: Documents Library
TSLD (Bette Smith)
Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin
Faculty of Arts and Science
Dept. of Applied Science
26-36 Stuyvesant Street
New York, NY 10003

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher)
Wright-Patterson AFB, OH 45433

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (CPT William C. Smith)
Wright-Patterson AFB, OH 45433

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R (CPT James M. Watson)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CD-MS
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: NOAA Liaison Officer
(CDR Jeffrey G. Carlen)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
Morris Swett Library
ATTN: Reference Librarian
Fort Sill, OK 73503

Commander
Naval Air Development Center
ATTN: Code 301 (Mr. George F. Eck)
Warminster, PA 18974

The University of Texas at El Paso
Electrical Engineering Department
ATTN: Dr. Joseph H. Pierluissi
El Paso, TX 79968

Commandant
US Army Air Defense School
ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn)
Fort Bliss, TX 79916

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.)
Fort Hood, TX 76544

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-SCI (Dr. Darrell W. Collier)
Fort Hood, TX 76544

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. John Trethewey)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. William Peterson)
Dugway, UT 84022

Defense Documentation Center

ATTN: DDC-TCA
Cameron Station Bldg 5
Alexandria, VA 22314
12

Ballistic Missile Defense Program Office
ATTN: DACS-BMT (Colonel Harry F. Ennis)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Technical Information Center
ATTN: DDA-2 (Mr. James E. Shafer)
Cameron Station, Bldg 5
Alexandria, VA 22314

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCBSI-EE (Mr. Albert Giambalvo)
5001 Eisenhower Avenue
Alexandria, VA 22333

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCLDC (Mr. James Bender)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Advanced Rsch Projects Agency
ATTN: Steve Zakanyez
1400 Wilson Blvd
Arlington, VA 22209

Defense Advanced Rsch Projects Agency
ATTN: Dr. James Tegnalia
1400 Wilson Blvd
Arlington, VA 22209

Institute for Defense Analyses
ATTN: Mr. Lucien M. Biberman
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Ernest Bauer
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Hans G. Wolfhard
400 Army-Navy Drive
Arlington, VA 22202

System Planning Corporation
ATTN: Mr. Daniel Friedman
1500 Wilson Boulevard
Arlington, VA 22209

System Planning Corporation
ATTN: COL Hank Shelton
1500 Wilson Boulevard
Arlington, VA 22209

US Army Intelligence & Security Command
ATTN: Edwin Speakman, Scientific Advisor
Arlington Hall Station
Arlington, VA 22212

Commander
US Army Operational Test
& Evaluation Agency
ATTN: CSTE-ED (Mr. Floyd I. Hill)
5600 Columbia Pike
Falls Church, VA 22041

Commander and Director
US Army Engineer Topographic Laboratories
ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Rudolf G. Buser)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Robert S. Rodhe)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Joseph R. Moulton)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Luanne P. Obert)
Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force
OL-I, AWS
Fort Monroe, VA 23651

Department of the Air Force
HQS 5 Weather Wing (MAC)
ATTN: 5 WW/DN
Langley Air Force Base, VA 23655

Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation
ATTN: Dr. Ralph Zirkind
7655 Old Springhouse Road
McLean, VA 22102

Science Applications, Inc.
8400 Westpark Drive
ATTN: Dr. John E. Cockayne
McLean, VA 22102

US Army Nuclear & Chemical Agency
ATTN: MONA-WE (Dr. John A. Berberet)
7500 Backlick Road, Bldg 2073
Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./
Dr. Herbert K. Fallin)
Rm 2E 614, Pentagon
Washington, DC 20301

COL Elbert W. Friday, Jr.
OUSDRE
Rm 3D 129, Pentagon
Washington, DC 20301

Defense Communications Agency
Technical Library Center
Code 222
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency
ATTN: DT/AC (LTC Robert Poplawski)
Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame)
Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck)
Washington, DC 20310

Department of the Army
Deputy Chief of Staff for
Operations and Plans
ATTN: DAMO-RQ
Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army
Assistant Chief of Staff for Intelligence
ATTN: DAMI-TS
Washington, DC 20310

HQDA (DAEN-RDM/Dr. de Percin)
Casimir Pulaski Building
20 Massachusetts Avenue
Room 6203
Washington, DC 20314

National Science Foundation
Division of Atmospheric Sciences
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6533 (Dr. James A. Dowling)
Washington, DC 20375